


**Material Safety Data Sheet - Dinair Airbrush Makeup - Paramedical**  
**For OSHA Hazard Communication Standard 29 CFR 1910.1200**

**SECTION I – PRODUCT IDENTIFICATION AND USE**

|   |  |
|---|--|
| <b>Product Name:</b> Dinair Airbrush Makeup - <b>Paramedical</b>  | <b>Product Use:</b> Cosmetics for airbrush application |
| <b>Manufacturer's Name:</b> Dinair Airbrush Makeup Systems <b>Address:</b> 6215 Laurel Canyon Blvd., Suite 201<br>Hollywood CA 91606  |  |
| <b>Business Phone Number:</b> 800.785.4770 <b>Website:</b> <a href="http://www.airbrushmakeup.com/">http://www.airbrushmakeup.com/</a> <b>Email:</b> <a href="mailto:help@dinair.com">help@dinair.com</a> |  |

**SECTION II HAZARDOUS INGREDIENTS**

| Hazardous Ingredients   | Amount (%) | CAS Numbers | Exposure Limits |
|---|------------|-------------|-----------------|
| The specific quantities of the ingredients of this mixture are considered by the manufacturer to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title 29 of the Code of Federal Regulations. |            |             |                 |
| SDA 40 Alcohol (ETOH 92.30%)  | < 35%      | 64-17-5     | 1000 ppm        |



**NFPA: Hazard Scale**

**Top** = Flammability: **0**=Will non ignite **1**=Ignites with pre-heating **2**=Ignites with moderate heat **3**=Ignites at room temperature **4**= Very flammable **Left** = Health: **0**=No precautions necessary **1**= Gloves and glasses may be worn **2**= Gloves, glasses and dust mask recommended **3**= Full suit and breathing aid may be worn **4**=Full suit and breathing aid must be worn **Right** = Instability: **0**=Stable **1**=Unstable if heated **2**=Violent chemical change with heat **3**= Will detonate with shock or heat **4**= May detonate under normal conditions. **Bottom** =special notice: **W** = water reactive **OX** = oxidizing agent **0**= None

**SECTION III – PHYSICAL DATA**

|   |   |
|---|---|
| <b>Physical State:</b> Aqueous solution                 | <b>Appearance/Color:</b> Colored liquid |
| <b>Specific Gravity @20°C:</b> 2.1 (H2O = 1),           | <b>Boiling Point:</b> N.D.              |
| <b>Vapor Pressure (mm Hg):</b> 4.8 mmHg @ 68F           | <b>Vapor Density (air=1):</b> 1.6       |
| <b>Evaporation Rate (butyl acetate = 3.3)</b> N.D.      | <b>Melting Point:</b> N.D.              |
| <b>Freezing Point/Melting Point:</b> N.D.               | <b>pH @25°C:</b> 8                      |
| <b>% Volatile (by volume):</b> <35%                     | <b>Solubility in Water:</b> High        |
| <b>Density (g/ml):</b> 0.91+/-0.02 (Ethanolic aqueous). | <b>Solubility in Alcohol:</b> High      |



6215 LAUREL CANYON BLVD  
NORTH HOLLYWOOD, CA 91606 USA

### **SECTION IV – FIRE AND EXPLOSION HAZARD DATA**

|  |  |
|--|--|
| <b>Combustible:</b> Yes                    | <b>Hazardous combustion products:</b> CO, acrylates            |
| <b>Extinguishing Media:</b> H2O, Foam, CO2 | <b>NFPA Flammability Classification:</b> 2 = Ignites with heat |
| <b>Flash Point:</b> 21C                    | <b>Lower Explosive Limit by volume:</b> N.D.                   |
| <b>Conditions to avoid:</b> Heat, spark    | <b>Sensitivity to Mechanical Impact:</b> No                    |

### **SECTION V – REACTIVITY DATA**

|  |
|--|
| <b>Chemical Stability:</b> Flammable                               |
| <b>Hazardous Polymerization:</b> None known                        |
| <b>Incompatibility with other substances:</b> Avoid acids or bases |
| <b>NFPA Reactivity Classification - 0</b> = Stable                 |

### **SECTION VI – HEALTH HAZARD DATA**

|  |
|--|
| <b>Route of Entry/ Exposure –</b> Eye Contact—Ingestion—Inhalation—Skin Contact—Possible Skin Absorption     |
| <b>Oral Toxicity:</b> 1 Product not intended for ingestion. Moderate oral toxicity. Keep away from children. |
| <b>Inhalation –</b> May cause minimal irritation of nasal and respiratory passages.                          |
| <b>Eye Irritants –</b> May cause mild irritation of unwashed eye.  |
| <b>Skin Irritants –</b> Not expected to cause skin irritation.   |
| <b>Effects of acute Exposure to Product -</b> Gross ingestion could lead to toxic alcohol poisoning.         |
| <b>Effects of Chronic Exposure to Product -</b> No chronic toxic/medical effects foreseen with normal use.   |
| <b>NFPA Health Hazard Classification:</b> 1 = Mild Precautions Necessary                                     |

### **SECTION VII – FIRST AID MEASURES**

|  |
|--|
| <b>Eyes:</b> Immediately flush eyes with plenty of water for at least 15 minutes, lifting the upper and lower eyelids.                 |
| <b>Skin:</b> Get medical aid. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing |
| <b>Ingestion:</b> Do not induce vomiting. Get medical aid  |
| <b>Inhalation:</b> Remove from exposure to fresh air. If breathing is difficult, give oxygen. Get medical aid if cough appears.        |
| <b>Notes to Physician:</b> Treat symptomatically and supportively.   |

### **SECTION VIII - EXPOSURE CONTROLS -PREVENTIVE MEASURES**

|  |
|--|
| <b>Engineering Controls for Workplaces:</b> Facilities should be equipped with an eyewash facility and adequate ventilation. |
| <b>Eyes:</b> Wear appropriate eye protection as seen in 29 CFR 1910.133 or European Standard EN166.                          |
| <b>Skin:</b> Wear appropriate protective gloves to prevent skin exposure. If contaminated - shower material off of body.     |
| <b>Clothing:</b> Wear appropriate protective clothing to prevent skin contamination.   |
| <b>Respirators:</b> A respiratory protection program should meet OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements.         |

# DINAIR®

6215 LAUREL CANYON BLVD  
NORTH HOLLYWOOD, CA 91606 USA

## **SECTION IX – HANDLING AND DISPOSAL CONSIDERATIONS**

**Handling and Storage Precautions:** Store in a cool, dry ventilated area. Keep containers closed and upright.

**If spilled:** Wash area completely - no special ventilation required.

**Waste Disposal Methods:** Dispose of residual in accordance with local laws and regulations.

## **SECTION X – TRANSPORT**

### **DOT Road Shipment (49 CFR 172.101)**

**Proper Shipping Name:** Consumer Commodity

**Hazard Class:** ORM-D

**UN Number:** NA

**Packing Group:** NA

**Label Codes:** NA

### **Ocean Shipment (IMDG)**

**Proper Shipping Name:** Flammable liquid, n.o.s.

**Packing Group:** II

**Hazard Class:** Class 3

**UN Number:** 1993

**Limited Quantity:** 1L

**Packing Instructions:** POO1

### **Air Shipment (IATA)**

**Proper Shipping Name:** Flammable liquid, n.o.s.

**Packing Group:** II

**Hazard Class:** Class 3

**UN Number:** 1993

**Limited Quantity:** 1L

**Packing Instructions:** Y305

## **SECTION XI – DISCLAIMER NOTICE**

The information in this MSDS was obtained from current and reliable sources and is provided without any warranty regarding its correctness or accuracy. Since the conditions for use, handling, storage, and disposal of this product are beyond the control of the Manufacturer, the user must determine safe use of this product and assume liability for loss, damage or expense arising out of the improper use of the product or MSDS.

**Abbreviations:** N/A = Not Applicable

N.D. = Not Determined

Prepared by: **S/A** Skinner Associates (2013) 3985 Shooting Star Rd. Creston CA. 93432  
Phone: (805) 238 1096 - Skintox@gmail.com